

DeWAL® DW417

DeWAL[®] DW417 is a soft aluminum foil, backed with a flexible wear glass cloth. The tape has excellent flexibility and allows conform-ability to irregular, curved surfaces. DW417 carries approval to the ASTM E595-07 outgas testing and has a maximum use temperature of 200°C (390°F). It is supplied on white paper liner.

Features & Benefits:

- Conformable to complex shapes
- Silicone free
- Strong adhesion at high temperatures

Applications:

- Heat shielding
- Wire harness
- Used in automotive, aerospace and industrial industries

PROPERTY	TEST METHOD	DATA RANGE	TYPICAL VALUE*
PHYSICAL			
Backing Material			Aluminum Foil/Glass Fabric
Backing Thickness, mm (inches)		0.076 – 0.106 (0.003 – 0.0042)	
Adhesive System			Acrylic
Adhesive Thickness, mm (inches)		0.076 - 0.102 (0.003 - 0.004)	
Adhesion, g/cm (oz./in)	ASTM D-1000	603 - 804	714
		(54 - 72)	(64)
Approvals	ASTM E-595-07	Outgas Test	Approved
Maximum Operating Temperature, C° (F°)			200 (390)

PRODUCT DIMENSIONS	METRIC	ENGLISH
Width mm, inches	6.35 - 660	0.25 - 26
Core Diameter mm, inches	76	3
Roll Length m, yards	33	36

*Typical values shown are from testing at date of manufacture and should not be used for specification limits.

- Additional technical information and product specifications are available upon request.

- Shelf life is 1 year from the date of manufacture with storage conditions of 21°C (70°F)and 50% RH.

- All metric conversions are approximate.



The information contained in this Data Sheet is intended to assist you in designing with Rogers' Elastomeric Material Solutions. It is not intended to and does not create any warranties, express or implied, including any warranty of merchantability or fitness for a particular purpose or that the results shown in this Data Sheet will be achieved by a user for a particular purpose. The user should determine the suitability of Rogers DeWAL products for each application. The Rogers logo, DeWAL logo and DeWAL are trademarks of Rogers Corporation or one of its subsidiaries. © 2018, 2019, 2020 Rogers Corporation. All rights reserved. 0720-PDF • Publication #175-061 www.rogers.corp.com