

171 West St. Charles Road, Carol Stream, IL 60188-2081 / 630-784-6200 / Fax: 630-784-6201

# PRODUCT SAFETY INFORMATION SHEET

#### 1. PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME: HT-1510 Fiberglass Reinforced Silicone Rubber

CHEMICAL FAMILY: Silicone Rubber

HMIS RATING: H 1 F 1 R 0

USE OF MATERIAL Press Pads

DATE PREPARED: March 5, 2015

COMPANY/UNDERTAKING Rogers Corporation

IDENTIFICATION: 171 West St. Charles Road

Carol Stream, IL 60188-2081 Phone: 001-630-784-6200 Fax: 001-630-784-6201

Email: msdsinfo@rogerscorporation.com

#### 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE NE

MATERIAL:

LABELING REQUIREMENTS: NE

EFFECTS OF None are expected with normal handling. Materials listed in Section 2 are

OVEREXPOSURE: encapsulated or compounded making release unlikely. Cutting and other finishing

operations may create dust. Ventilation and personal protective equipment should be

similar to operations generating nuisance dust.

INHALATION: Dusts may cause respiratory irritation.

EYE CONTACT: Dusts may cause irritation. SKIN CONTACT: Dusts may cause irritation.

INGESTION: None known.

CHRONIC: IARC has listed carbon black as a possible Class 2B possible human carcinogen

based on animal studies.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is produced as an "article" as defined in 20 CFR 1910.1200 and is therefore exempt from the Hazard Communication Standard. Since this material does not release chemicals and will not result in exposure to a hazardous chemical under normal conditions of use, no Material Data Sheet is required. This form is provided as a convenience to our customers.

Chemical Name	CAS No.	<b>EINECS</b>	<u>%</u>	OSHA PEL	<b>ACGIH</b>	<u>Chin</u>	<u>EU</u>
		/ELINCS			TLV	<u>a</u>	Classificatio
						OEL	<u>n</u>

Fumed Silica (Encapsulated)	68583-49-3	271-514-2	30-40	80 mg/m <sup>3</sup> % SiO <sub>2</sub>	2 mg/m <sup>3</sup> (Respirabl e)	NE	Not Classified Under 67/548/EC
Fiberglass (Continuous Filament)	65997-17-3	266-046-0	1-10	5 mg/m <sup>3</sup> (Respirable Nuisance Dust)	5 mg/m <sup>3</sup>	NE	Not Classified Under 67/548/EC
Carbon Black	1333-86-4	215-609-9	< 1	3.5 mg/m <sup>3</sup>	3.5 mg/m <sup>3</sup>	NE	Not Classified Under 67/548/EC

#### 4. FIRST-AID MEASURES

INHALATION: Remove to fresh air. Obtain medical attention if symptoms persist.

EYE CONTACT: Flush eyes with large amounts of water for 15 to 20 minutes. Obtain medical

attention if symptoms persist.

SKIN CONTACT: Immediately take off all contaminated clothing and flush area with soap and

water for 15 to 20 minutes. Obtain medical attention if symptoms persist.

INGESTION: Not a likely route of exposure. If large amounts of processing dusts are ingested

resulting in gastrointestinal discomfort, seek medical attention.

### 5. FIRE-FIGHTING MEASURES

FLASH POINT: NA Flammable Limits: LEL NE UEL N

AUTOIGNITION TEMPERATURE: NA

EXTINGUISHING MEDIA:

X Water Spray
Dry Chemical

X Foam
X CO<sub>2</sub>
Other –

SPECIAL FIRE FIGHTING

PROCEDURES:

Firefighters should be equipped with self-contained breathing apparatus and

turnout gear.

UNUSUAL FIRE AND EXPLOSION

HAZARDS:

Decomposition in a fire may produce toxic fumes and siliceous char. Carbon

monoxide, carbon dioxide, formaldehyde, silicon dioxide, and traces of

incompletely burned carbon compounds.

### 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Wear suitable protective equipment. Wear self-contained breathing apparatus

and heavy rubber gloves. Avoid contact with skin and eyes.

ENVIRONMENTAL PRECAUTIONS: Prevent from entering sewer system, surface water or soil.

CLEANING METHODS: Pick up larger solid materials. Use broom and dust pan to collect smaller

pieces. Dispose of properly.

#### 7. HANDLING AND STORAGE

HANDLING: Wear suitable protective equipment (refer to Section 8). Wash hands with soap

and water after handling. Avoid processing conditions that release small

particles of materials (10 micrometers or less).

STORAGE: Keep container tightly closed in a dry, cool, and well-ventilated area.

### 8. ENGINEERING CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None needed under normal conditions. If material is heated and odors are

noticeable and/or irritating, a respirator meeting NIOSH requirements should be

used. A qualified individual should evaluate each situation.

**VENTILATION** 

LOCAL: Recommended for all industrial operations. GENERAL: Recommended for all industrial operations.

PERSONAL PROTECTION

HAND: Cotton gloves to protect from fiberglass.

EYE: Safety glasses are recommended with all industrial operations.

SKIN: Any material that will prevent contact with fiberglass.

OTHER: Safety shower/eyewash in the area if possible tissue exposure to materials.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Solid Silicone Material ODOR: Slight Characteristic

PHYSICAL STATE: Solid
BOILING POINT: NA °C (°F)
MELTING POINT: NE °C (°F)
FREEZING POINT: NA °C (°F)
WATER SOLUBILITY: None
VAPOR PRESSURE: NA

SPECIFIC GRAVITY: 1.23 (Water = 1)

PARTITION COEFIECIENT: NA **EXPLOSIVE PROPERTIES:** NA **EVAPORATION RATE:** NA **DENSITY**: 1.23 g/cc VISCOSITY: NA **IGNITION TEMPERATURE:** NA NA FLAMMABILITY: NA **OXIDIZING PROPERTIES:** NA

### 10. STABILITY AND REACTIVITY

CTADLE

STABLE A	UNSTABLE	
CONDITIONS TO	AVOID:	NE
MATERIALS TO	AVOID:	NE

LINICTADIE

HAZARDOUS POLYMERIZATION: May Occur X Does Not Occur

HAZARDOUS DECOMPOSITION

PRODUCTS: monoxide, carbon dioxide,

Decomposition in a fire may produce toxic fumes and siliceous char. Carbon monoxide, carbon dioxide, formaldehyde, silicon dioxide, and traces of incompletely burned earlier appropriate.

incompletely burned carbon compounds.

### 11. TOXICOLOGICAL INFORMATION

ACUTE/CHRONIC: NE REPRODUCTIVE HAZARDS: NE

CARCINOGENIC STATUS: Cristobalite is listed by IARC as a Group 1 carcinogenic to

humans) and by NTP as "reasonably anticipated to be a carcinogen". However the Cristobalite in this material is encapsulated eliminating this hazard during normal processing. Carbon Black- IARC Class 2B (Possibly

carcinogenic to humans).

### 12. ECOLOGICAL INFORMATION

NA

#### 13. DISPOSAL CONSIDERATION

ENVIRONMENTAL TOXICITY DATA: NA

WASTE DISPOSAL METHOD: Dispose of in accordance with applicable, federal, state, provincial, and local

laws and regulations.

CONTAINER DISPOSAL: Dispose of in accordance with applicable, federal, state, provincial, and local

laws and regulations.

#### 14. TRANSPORT INFORMATION

UN NUMBER:
UN PROPER SHIPPING NAME:
HAZARD CLASS (ES):
PACKING GROUP:
Not Regulated
Not Regulated
Not Regulated
Not Regulated
Not Regulated
Not Regulated

#### 15. REGULATORY INFORMATION

INTERNATIONAL REGUALTIONS:

Canadian (DSL/NDSL): Listed
Australian (ACIS): Listed
Korea (KECI): Listed
China (IECSC): Article
Japan (ENCS, MITI): Listed

REACH Directive Material is Classified as an Article

EU Directive 2011/65/EC (RoHS): Does not contain any intentionally added substances mentioned by the RoHS

directive.

European:

Symbol Not classified according to directive 1999/45/EC & 2001/60/EC (dangerous

preparations).

R-Phase(s): NA S-Phase(s): NA

TSCA All ingredients listed on TSCA or exempt. Materials is classified as and Article

(Toxic Substances Control Act):

CERCLA NA

(Comprehensive Emergency Response,

Compensation, and Liability Act):

SARA TITLE III NA

(Superfund Amendments and

Reauthorization Act):

311/312 HAZARD CATEGORIES: None

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the

Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR 372:

CAS # NA PERCENT BY WEIGHT NA NA

## 16. OTHER INFORMATION

NA = Not Applicable FILE: 99061-HT1510 PSIS 03052015.doc

NE = Not Established 99061

NC = Not Classified PREPARED BY: Michal Werbecki REVIEWED BY: Curtis Kempton

Review Date: 03/05/2015

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULT TO BE OBTAINED FROM THE USE THEREOF.

ROGERS CORPORATION ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.